


Fmoc-Asp(otBu)-OH



Column: **ChiralCore Cel-J**, 5 μ m
Dimension: 4.6 $\times$ 250 mm
Mobile Phase: 40/60 v/v 乙腈/0.1%三氟乙酸水
Flow Rate: 1.0 mL/min
Temperature: 35 $^{\circ}$ C
Injection: 10 μ L
Detection: UV 254 nm
Sample: Fmoc-Asp(otBu)-OH
(Fmoc-D-Asp(otBu)-OH 1 μ g/mL, Fmoc-L-Asp(otBu)-OH 1 mg/mL)
Peaks:
1. Fmoc-D-Asp(otBu)-OH
2. Fmoc-L-Asp(otBu)-OH

组分	保留时间 (min)	理论塔板数 (USP)	拖尾因子 (USP)	分离度 (USP)
Fmoc-D-Asp(otBu)-OH	17.537	10460	0.947	/
Fmoc-L-Asp(otBu)-OH	21.133	9157	1.040	4.596